		Safety Da	ata She	et		
	p, Inc. 10 Seeboard Industrial Plud	Section 1. C	hemical Proc	duct and Co	ompany Idei	ntification
Image: Superior Solutions 1310 Seaboard Industrial Blvd. Atlanta, GA 30318 1-877-I-BUY-ZEP (428-9937) www.zep.com		Product nam	ie Ze	Zep METER MIST - PEACH		
		Product use	Aer	rosol Room I	Deodorizer/Od	or Counteractant
uenos 🖬 o Personas - Engladade reconsidar		Product cod	e 343	34		
		Date of issue	e 11/0	09/12	Supersede	s 10/03/12
		Emergency Te	lephone Num	nbers		
		For MSDS In Compliance Se	formation: ervices 1-877-I-	BUY-ZEP (4	128-9937)	
		For Medical H (877) 541-201	E mergency 6 Toll Free - Al	ll Calls Recor	rded	
		CHEMTREC:	tation Emerge (800) 424-930 of Columbia (20	0 - All Calls		
			ard Industrial B	lvd.		
		Atlanta, GA	30318			
	zards Identification					
Emergency ov WARNING!	/erview	*Hazard Determin	nation System (HDS):	Health, Flammabil		
_	IRRITATION. MAY CAUS	E SKIN IRRITATION			0	
	NDER PRESSURE.					
NOTE: MSDS dat	ta pertains to the product as de				adverse effects	are lessened by follow
Acute Effects	ety precautions, including the Routes of Entry	Eye contact. Inh	• •	ment.		
	Direct contact may cause irritat	5		eye is charac	terized by red	ness,
	vatering and itching.					
	lay cause skin irritation. Skin		-		-	
	void direct inhalation of spra		-	-	•	
Ingestion _N	lay be harmful if swallowed.	Aspiration hazard if sv	vallowed. Can e	enter lungs ar	nd cause dama	ge.
Chronic effect	S Contains material wh nervous system (CNS	nich may cause damage S).	to the followin	ng organs: kio	dneys, liver, ce	entral
Carcinogenicit	y icant effects or critical hazard	c				
Product/ingred		ACGIH IARC	EPA	NIOSH	H NTP	OSHA
acetone		A4 -	-	-	-	-
	Additional In	formation: See Toxicol	ogical Informatio	on (Section 11	1)	
	mposition/Information on	Ingredients				
Name of Hazardou acetone	is Ingredients			<u>CAS nur</u> 67-64-		<u>% by Weight</u> 60 - 100
propane				74-98-		10 - 30
Section 4. First	st Aid Measures					
Eye Contact	Immediately flush eyes with remove any contact lenses.					
Skin Contact	Rinse with plenty of runnin	ng water. Get medical	attention if irrita	ation develop	DS.	
Inhalation	Move exposed person to fre	esh air If irritation per	sists, get medic	cal attention.		
Ingestion	Do not induce vomiting unl					

Product code 3434 Safety Data Sheet Prod

Section 5. Fire Fig	hting Measures	National Fire Protection Association (U.S.A.)
Flash Point	Not available.	
Flammable Limits	Not available.	
Flammability	Non-flammable. (CSMA Method)	
Fire hazard		re or if heated, a pressure increase will occur and the container may on. Bursting aerosol containers may be propelled from a fire at high
Fire-Fighting Procedures	Use an extinguishing agent suitable for the Fire-fighters should wear appropriate protection	surrounding fire. Cool closed containers exposed to fire with water. ctive equipment.

Section 6. Accidental Release Measures

Spill Clean up Large spills are unlikely due to packaging.

Section 7. Handling and Storage

- **Handling** Put on appropriate personal protective equipment (see section 8). Store and use away from heat, sparks, open flame or any other ignition source. Avoid contact with eyes, skin and clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Observe label precautions. Wash thoroughly after handling.
- Storage CONTENTS UNDER PRESSURE. Do not puncture, incinerate or store the container at temperatures above 49°C (120°F) or in direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection

Product name	Exposure limits
acetone	ACGIH TLV (United States, 2/2010). TWA: 500 ppm 8 hour(s). TWA: 1188 mg/m ³ 8 hour(s). STEL: 750 ppm 15 minute(s). STEL: 1782 mg/m ³ 15 minute(s). OSHA PEL 1989 (United States, 3/1989). TWA: 750 ppm 8 hour(s). TWA: 1800 mg/m ³ 8 hour(s). STEL: 1000 ppm 15 minute(s). STEL: 2400 mg/m ³ 15 minute(s). STEL: 2400 mg/m ³ 15 minute(s). NIOSH REL (United States, 6/2009). TWA: 250 ppm 10 hour(s). TWA: 590 mg/m ³ 10 hour(s). TWA: 590 mg/m ³ 10 hour(s). TWA: 1000 ppm 8 hour(s). TWA: 1000 ppm 8 hour(s).
propane	OSHA PEL 1989 (United States, 3/1989). TWA: 1000 ppm 8 hour(s). TWA: 1800 mg/m ³ 8 hour(s). NIOSH REL (United States, 6/2009). TWA: 1000 ppm 10 hour(s). TWA: 1800 mg/m ³ 10 hour(s). OSHA PEL (United States, 6/2010). TWA: 1000 ppm 8 hour(s). TWA: 1800 mg/m ³ 8 hour(s). ACGIH TLV (United States, 2/2010). TWA: 1000 ppm 8 hour(s).
Personal Protective Equipment (PPE)	

EyesRecommended: Safety glasses.BodyNo special protective clothing is required.

 $\nabla \nabla$

Respiratory Avoid direct inhalation of spray. Use with adequate ventilation.

Section 9. Physical and Chemical Properties

Physical State	Liquid. [Aerosol.]	C
рН	Not applicable	
Boiling Point	55.6°C (132.1°F)	Vapor Pres
Specific Gravity	0.75	Vapor De
Solubility	Very slightly soluble in the following materials: co water and hot water.	eld Evaporation

Color Clear. Colorless. Odor Floral. Fresh Vapor Pressure Not determined. Vapor Density Not determined. Evaporation Rate <1 (Water = 1)

VOC (Consumer) 24.8 % (w/w) 1.55 lbs/gal (185.6 g/l)

Product code 3434		Safety Data Sheet	Produc	t Name Zep METER MI	ST - PEACH
Section 10. Stability and Re	eactivity				
Stability and Reactivity Incompatibility	The product is Keep away fro oxidizing mate	m heat, sparks and flame.	Slightly reactive or	incompatible with the	e following materia
Hazardous Polymerization	Will not occur				
Hazardous Decomposition	Products carl	oon oxides (CO, CO ₂)			
Section 11. Toxicological I	nformation				
Acute Toxicity					
Product/ingredient name		Result	Species	Dose	Exposure
acetone		LD50 Oral	Rat	5800 mg/kg	
Section 12. Ecological Info	rmation				
Environmental Effects Not a	vailable.				
Aquatic Ecotoxicity					
acetone	-	Acute EC50 5600000 to 1000 water	0000 ug/L Fresh Alga	e - Green algae - Selenastru	um sp. 72 hours
	-	Acute EC50 20.565 mg/L Ma	rine water Alga	e - Green algae - Ulva perti	usa 96 hours
	-	Acute LC50 6000000 ug/L Fr		taceans - Scud - Gammarus	
	-	Acute LC50 10000 ug/L Fres		nia - Water flea - Daphnia	
	-	Acute LC50 >100000 ug/L Fi	prom	- Fathead minnow - Pimep lelas - Juvenile (Fledgling, hling, Weanling) - 0.2 to 0.	
	-	Chronic NOEC 0.1 ml/L Fres	h water Dapl	nnia - Water flea - Daphnia nate - 6 to 24 hours	

Section 13. Disposal Considerations

Waste Information

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Non-hazardous waste

Section 14. Transport Information					
Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
DOT Classification	None.	Consumer commodity or Limited quantity			
IMDG Class	UN1950	AEROSOLS, non-flammable	2.2		\$

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment. PG* : Packing group

Section 15. Regulatory Information

U.S. Federal Regulations

SARA 313 toxic chemical notification and release reporting: No products were found.

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

United States inventory (TSCA 8b): All components are listed or exempted.

State Regulations

California Prop 65 No products were found.

Product code 3434

Safety Data Sheet

Product Name Zep METER MIST - PEACH

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.