

Version 3.1		Revision Date 08/08/2019	Print Date 10/03/2022	
SECTION 1. PRODUCT AND	COMPA	NY IDENTIFICATION		
Material name	:	A07287 ZP SANITARY LUBE 24	601_12CS 20N15	
Material number	:	0000000000024601		
Manufacturer or supplier's details				
Company	:	Zep Inc.		

Address : 350 Joe Frank Harris Parkway, SE Emerson, GA 30137

Telephone : 404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

CHS Classification

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	odourless

GHS Classification	
Flammable aerosols Gases under pressure	: Category 1 : Liquefied gas
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated.



Version 3.1	Revision Date 08/08/2019	Print Date 10/03/2022
Precautionary statements	 Prevention: P210 Keep away from heat/sparks No smoking. P211 Do not spray on an open flat P251 Pressurized container: Do nuse. Storage: P410 + P412 Protect from sunligh temperatures exceeding 50 °C/ 12 Disposal: P501 Dispose of contents/container regulation. 	s/open flames/hot surfaces. me or other ignition source. ot pierce or burn, even after t. Do not expose to 12 °F.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
White mineral oil (petroleum)	8042-47-5	>= 90 - < 100
propane	74-98-6	>= 5 - < 10
butane	106-97-8	>= 3 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	Nove out of dangerous area. Show this safety data sheet to the doctor in attenda Do not leave the victim unattended.	nce.
lf inhaled	unconscious, place in recovery position and seek dvice. symptoms persist, call a physician.	medical
In case of skin contact	Vash off immediately with plenty of water for at lead ninutes. symptoms persist, call a physician. on clothes, remove clothes.	st 15
In case of eye contact	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. Feye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 1	15 minutes.
If swallowed	Keep respiratory tract clear. lever give anything by mouth to an unconscious persist, call a physician. OO NOT induce vomiting unless directed to do so by hysician or poison control center.	



Version 3.1	Revision Date 08/08/2019	Print Date 10/03/2022
Most important symptoms and effects, both acute and delayed	: Effects may be delayed, symptoms skin irritation. Overexposure may cause mild eye	
Notes to physician	: Treat symptomatically. Symptoms r	nay be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	cohol-resistant foam rbon dioxide (CO2) y chemical	
Unsuitable extinguishing media	gh volume water jet	
Specific hazards during firefighting	not allow run-off from fire fightin urses.	g to enter drains or water
Hazardous combustion products	rbon dioxide (CO2) rbon monoxide noke	
Specific extinguishing methods	e extinguishing measures that a cumstances and the surrounding	
Further information	r safety reasons in case of fire, o parately in closed containments. e a water spray to cool fully clos	
Special protective equipment for firefighters	ear self-contained breathing applicessary.	aratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.



Version 3.1

Revision Date 08/08/2019

Print Date 10/03/2022

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use. Do not breathe vapours or spray mist. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Oxidizing agents Do not store near acids. Do not freeze.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
, , , , , , , , , , , , , , , , ,		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL (particulate)	5 mg/m3	CAL PEL
propane	74-98-6	ŤWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
butane	106-97-8	TWA	800 ppm	NIOSH REL



rsion 3.1	Revision [Date 08/08/2019	Print D	ate 10/03/2022
		TWA	1,900 mg/m3 800 ppm	OSHA P0
			1,900 mg/m3	
		PEL	800 ppm 1,900 mg/m3	CAL PEL
		STEL	1,000 ppm	ACGIH
Engineering measures	: effective ve	entilation in all pro	ocessing areas	
Personal protective equipme	ent			
Respiratory protection	ventilation	is provided or ex	nless adequate local posure assessment o commended exposu	demonstrates
Hand protection Material Remarks		•	workplace should be otective gloves.	discussed
Eye protection	the worksta	t eyewash station ation location. ng safety goggles	ns and safety shower	s are close to
Skin and body protection		dy protection acc	cording to the amount	
Hygiene measures	When usin	ds before breaks g do not smoke. g do not eat or di	and at the end of wo rink.	rkday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	colourless
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	Not applicable
Boiling point	:	> 232.2 °C
Flash point	:	Na data available
		No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit	:	No data available



Version 3.1	Revision Date 08/08/2019	Print Date 10/03/2022
Lower explosion limit	: No data available	
Vapour pressure	: not determined	
Relative vapour density	: No data available	
Density	: 0.871 g/cm3	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, dynamic	: No data available	
Heat of combustion	: 43.12 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	:	None known.
Symptoms of Overexposure	:	Effects may be delayed, symptoms may include minor eye or skin irritation.

Carcinogenicity:



Version 3.1	Revision Date 08/08/2019	Print Date 10/03/2022
IARC	No component of this product present equal to 0.1% is identified as probable	
ACGIH	human carcinogen by IARC. No component of this product present equal to 0.1% is identified as a carcin	at levels greater than or
OSHA	carcinogen by ACGIH. No component of this product present equal to 0.1% is on OSHA's list of reg	
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	5

Acute toxicity

No data available

Skin corrosion/irritation

Product:

Remarks: May irritate skin.

Serious eye damage/eye irritation

Product:

Remarks: May irritate eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available



Version 3.1

Revision Date 08/08/2019

Print Date 10/03/2022

SECTION 12. ECOLOGICAL INFORMATIO	N
-----------------------------------	---

Ecotoxicity	
No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: No data available
Partition coefficient: n- octanol/water	: Pow: 2.89
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.



Version 3.1

Revision Date 08/08/2019

Print Date 10/03/2022

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

TSCA list

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		


This product does not contain any chemicals known to State of




rsion 3.1	Revision Date 08/08/2019 Prin	nt Date 10/03/2022
	California to cause cancer, birth defects, or a reproductive harm.	any other
The componen	ts of this product are reported in the following inventories:	
501	All components of this product are on the Consulion DC	
DSL TSCA	All components of this product are on the Canadian DS On TSCA Inventory	5L
TSCA For information	· · ·	
TSCA For information manufacturer's	On TSCA Inventory on the country notification status for other regions please contact	

SECTION 16. OTHER INFORMATION







Hazard pictograms	
Signal w ord Hazard statements Precautionary statements	 Danger: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Prevention: Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.
	Storage : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. °F. Disposal : Dispose of contents/container in accordance with local regulation.



Version 3.1

Revision Date 08/08/2019

Print Date 10/03/2022

Version:	3.1
Revision Date:	08/08/2019
Print Date:	10/03/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.